
THE SWEDISH TRANSPORT AGENCY

COMMUNICATION CONCERNING THE APPROVAL GRANTED ⁽¹⁾/ ~~APPROVAL EXTENDED ⁽⁴⁾/~~
~~APPROVAL REFUSED ⁽⁴⁾/~~ ~~APPROVAL WITHDRAWN ⁽⁴⁾/~~ ~~PRODUCTION DEFINITELY~~
~~DISCONTINUED ⁽⁴⁾~~ OF A TYPE OF ELECTRICAL/ELECTRONIC SUB-ASSEMBLY ⁽¹⁾ WITH
REGARD TO REGULATION NO. 10.



Approval No: E5*10R06/01*0488*00

1. Make (trade name of manufacturer): Clayton Power A/S
2. Type and general commercial description(s): LPS II
3. Means of identification of type, if marked on the vehicle/component/separate technical unit: Printed self-adhesive label. The label material, the printing and the adhesive are durable.
 - 3.1. Location of that marking: Type identification, variant identification, and serial number is found on a printed label on the back
4. Category of vehicle: Not applicable
5. Name and address of manufacturer: Clayton Power A/S
Parkhusgaarden42-48
5000 Odense
Denmark

Manufactures representative (if any): Force Technology, att Ole Hammer
Venlighedsvej 4
2970 Hørsholm
Denmark
6. In the case of components and separate technical units, location and method of affixing of the approval mark: see 3.1
7. Address(es) of assembly plant(s): see 5
8. Additional information (where applicable): See appendix below

9. Technical Service responsible for carrying out the tests: FORCE Technology
Agro Food Park 13
8200 Aarhus N
Denmark
10. Date of test report: 2021-09-09
11. No. of test report: 121-27869-1
12. Remarks (if any): See appendix below
13. Place: Borlänge
14. Date: 22 October 2021
15. Signature: 
Anders Mattsson-Tholén
Type Approval Certification Officer
16. The index to the information package lodged with the Approval Authority,
which may be obtained on request, is attached:

Information document
Test report
17. Reasons for extension: Not applicable

**Appendix to type approval communication form No.E5*10R06/01*0488*00 concerning
the type approval of an electrical/electronic sub-assembly under UN Regulation No.
10.06**

1. Additional information:
 - 1.1. Electrical system rated voltage: 12 V DC neg. ground ⁽¹⁾
 - 1.2. This ESA can be used on any vehicle type with the following restrictions:
 - 1.2.1. Installation conditions, if any: According to the manufacturer's manual
 - 1.3. This ESA can be used only on the following vehicle types: Not applicable
 - 1.3.1. Installation conditions, if any:
 - 1.4. The specific test method(s) used and the frequency ranges covered to determine immunity were:

ISO 11 452-4, 20-200 MHz
ISO 11 452-2, 200-800 MHz
ISO 11 452-2, 800-2000 MHz
 - 1.5. Laboratory accredited to ISO 17025 and recognized by the Approval Authority responsible for carrying out the tests:

FORCE Technology
Agro Food Park 13
8200 Aarhus N
Denmark
2. Remarks: None